



 Research Article

## METHOD OF TEACHING CONTINUOUS MAPPING OF TOPOLOGICAL SPACE AND ITS APPLICATION BY THE CONCEPT OF SOCIETY AND EDUCATION

Journal Website:  
<http://sciencebring.com/index.php/ijasr>

Copyright: Original content from this work may be used under the terms of the creative commons attributes 4.0 licence.

**Submission Date:** December 19, 2022, **Accepted Date:** December 24, 2022,

**Published Date:** December 29, 2022

**Crossref doi:** <https://doi.org/10.37547/ijasr-02-12-32>

**Shakhnoza Sodikhujaeva**

Master Of Science, Assistant, Higher Mathematics Department, Fergana Polytechnic Institute, Fergana, Uzbekistan

### ABSTRACT

In this paper, we will show how to teach general topology by using traditional methods with examples and show some applications of the rules of topology, especially in the concept of continuity between topological spaces. The application will be given as a definition of society and education through the continuity of topological spaces.

### KEYWORDS

Topology, the concept of continuity, statements, expressions, the juridical regime of heraldry, the incorporeal transformations.

### INTRODUCTION

Definition1. Let  $(X, \tau_1)$  and  $(Y, \tau_2)$  are two topological spaces. A mapping  $f$  from  $X$  to  $Y$  is

called continuous, if  $f^{-1}(U) \in \tau_1$  for every  $U \in \tau_2$ , i.e. if the preimage of every open subset of the



space is an open subset of the space  $X$ . We denote continuous mapping  $f$  of the space  $X$  to  $Y$  in the form  $f : X \rightarrow Y$ .

**Example 1.**

1. Let  $f : (X, \tau_D) \rightarrow (Y, \tau)$  – continuous mapping, as  $\forall V \in \tau$  follows  $f^{-1}(V) \in X \Rightarrow f^{-1}(V) \in \tau_D$ , where  $\tau_D$  – discrete topology in  $X$  and  $\tau$  – any topology in  $Y$ .
2. Let  $f : (X, \tau) \rightarrow (Y, \tau_A)$  – continuous mapping, as  $\forall V \in \tau_A$  follows  $V = Y$  or  $V = \emptyset$ . Hence  $f^{-1}(Y) = X \in \tau$  or  $f^{-1}(\emptyset) = \emptyset \in \tau$ , where  $\tau_A$  – indiscrete topology in  $Y$  and  $\tau$  is any topology in  $X$ .
3. Let  $X = \{a, b, c\}$ ,  $\tau_1 = \{\emptyset, X, \{a\}, \{b\}, \{a, b\}\}$  and  $Y = \{x, y\}$ ,  $\tau_2 = \{\emptyset, Y, \{x\}\}$ . Let  $f : (X, \tau_1) \rightarrow (Y, \tau_2)$  and  $f(a) = f(b) = x, f(c) = y$ . Then  $f$  – continuous, as  $Y \in \tau_2$  consequently  $f^{-1}(Y) = X \in \tau_1$ ,  $\emptyset \in \tau_2$ ,  $f^{-1}(\emptyset) = \emptyset \in \tau_1$ ,  $\{x\} \in \tau_2$ ,  $f^{-1}(\{x\}) = \{a, b\} \in \tau_1$ .

**Example 2.** Prove, that a mapping  $f : R \rightarrow R$ , definition of  $\varepsilon - \delta$  continuity is followed from the definition of an open mapping.

Let  $f : R \rightarrow R$  is continuous in the point  $x \in R$ , if for every  $\varepsilon > 0$ , there exists  $\delta > 0$  such that,  $|f(y) - f(x)| < \varepsilon$  for every  $y$ , where  $|y - x| < \delta$ . Then  $f$  is continuous, if it is continuous in every point  $p \in R$ .

*Proof.* Suppose that  $f : R \rightarrow R$  is continuous by definition  $\varepsilon - \delta$ . We will show that from the property (4) in preposition [1]  $f$  is continuous for open subsets. Let's consider any point  $x \in R$  and any neighbourhood  $V$  that contains  $f(x)$ . There exists basis element  $(c, d)$  contains  $f(x)$ , such that  $(c, d) \subset V$ . Let  $\varepsilon = \min(f(x) - c, f(x) + c)$ , notice that  $\varepsilon > 0$  as  $c < f(x) < d$ . It is trivial to  $(f(x) - \varepsilon, f(x) + \varepsilon) \subset (c, d) \subset V$  and contains  $x$ . Since  $f$  is continuous in the point  $x$ , there exists  $\delta > 0$  such that  $|y - x| < \delta$  sequentially  $|f(y) - f(x)| < \varepsilon$  for every  $y$ . Let  $U = (x - \delta, x + \delta)$ , it is clear, that it is the neighbourhood of the point  $x$ . Let's consider any point  $z \in f(U)$  such that  $z = f(y)$  for some  $y \in U$ . Let then we have  $x - \delta < y < x + \delta$  such that  $0 < y - x < \delta$ , therefore it is followed by  $|y - x| < \delta$ . We know that  $|z - f(x)| = |f(y) - f(x)| < \varepsilon$  such that  $f$  is continuous. Hence  $-\varepsilon < z - f(x) < \varepsilon$  such that  $f(x) - \varepsilon < z < f(x) + \varepsilon$ , and consequently  $z \in V$  as  $(f(x) - \varepsilon, f(x) + \varepsilon) \subset V < \varepsilon$ .  $z \in f(U)$  is arbitrary, and this shows that  $f(U) \subset V$ , and from the property (4) is fulfilled for  $f$  as  $x$  was arbitrary.

**Definition 2.** Continuous mapping  $f : X \rightarrow Y$  is called homeomorphism, if  $f$  bijective maps the space  $X$  onto  $Y$  and inverse image  $f^{-1}$  from  $Y$  to  $X$  is continuous.

Two topological spaces  $X$  and  $Y$  are called homeomorphic or topological if there exists



homeomorphism of the space  $X$  onto the space  $Y$  and denoted by  $X \cong Y$ .

**Example 3.** Let denote by  $X$  and  $X^*$  single tone sets with two topologies  $\tau$  and  $\tau^*$ , respectively.

Let  $i: \tau \rightarrow \tau^*$  is an identity mapping.

1. We will show that  $i$  is continuous, if only if, when  $\tau^*$  is weaker than  $\tau$ .
2. We will show that  $i$  is a homeomorphism, if only if, when, when  $\tau^* = \tau$ .

Solution: 1) Notice that the inverse of an identity mapping is a domain, thus it is an inverse for any subset  $A \subset X = X^*$ , so we have  $i(A) = i^{-1}(A) = A$ .

( $\Rightarrow$ ) Suppose that  $i$  is continuous and consider any open subset  $U \in \tau$ . Then we have  $i^{-1}(U) = U$  an open subset  $\tau^*$  as  $i$  is continuous. Since  $U$  is arbitrary, it shows that  $\tau \subset \tau^*$  consequently  $\tau^*$  is weaker.

( $\Leftarrow$ ) Let's consider that  $\tau^*$  is weaker, as  $\tau \subset \tau^*$ . Consider any open set  $U \in \tau$  such that  $U \in \tau^*$ , i.e.  $U$  is also open in  $\tau^*$ . Since  $i^{-1}(U) = U$  this shows that  $i$  is continuous by the definition of continuity.

2) It is obvious, that  $i$  is objective as domain and image are the same i.e.  $i^{-1} = i$ .  $i$  is a homeomorphism, if only if, when  $i$  and  $i^{-1}$  are continuous. Sequently  $\tau^*$  is weaker than  $\tau$ , and  $\tau$  is weaker than  $\tau$  ( from (1)), hence  $\tau^* \subset \tau$  consequently  $\tau^* = \tau$

In topology, elements function in multiple surfaces and are affected by each surface. In this way, topology changes our understanding of “familiar social science objects of research by mapping out how such objects change and how they relate, in this process, to other changing objects in multiple, relational spaces”. Multiplicity means that elements belong

to more than one surface [1-7]. An element that is part of two topologies is the site of three effects, the effects of each surface and the effects of the surfaces formed by the combination of both surfaces. This does not mean that all the topologies active at some point are equally affective at all times. While elements of scientific management and education for efficiency may still resonate, there have been certain spaces and time where these elements were more affective. Another important attribute is that topologies continuously, though not always rapidly, change their internal dynamics, or deform. In our increasingly topological society, movement – as the ordering of continuity – composes the forms of social and cultural life themselves [8-19]. This is not a matter of one rationality displacing the other, but of their overlapping and mutual implication such that the continuity of movement – or the continuum – becomes fundamental to contemporary culture. This continuous multiple deformation occurs across axes that are immanent to a topology and so deformation occurs along certain ‘lines’ or according to certain principles. The famous deformation of a coffee cup into a doughnut is possible because it follows the line of ‘having only one hole’. But topology also theorizes fuzzier, yet mathematically rigorous, ‘shape consistency’ under deformation. This can usefully be compared to other things that change yet are held to remain the same, such as a family or community or group – vitalities, that is, intangible-but-real-entities that remain despite turnover in membership. In topological thinking, unless one of the co-constitutive surfaces is ruptured, and its topological relation is lost, all



topologies continue to produce effects [20-27]. So, unlike the virtual, which is beyond experience and the experienced actual, topological figures cut across the distinction of the virtual and actual. The movement, the process at stake is not the generation of an actual by a virtual, but the deformation of, as it were, two actuals into one another via their topological properties. Topological surfaces enfold and re-enfold each other in a complicated dance of continuously deforming multiplicity. The main questions concern the topological principles at work on an element and the ways they are inflected and deflected by other topological principles at work on and through that element [28-36]. The surface formed by, the interaction between two or more topologies is an effect of the multiple binding principles at work in the various surfaces of which an element is a part. The immanence of the principles at work in every topological surface, though, means that the effects of the deformations of an element belonging to multiple surfaces are not found. 'Interior' and 'exterior' make a different sense in topological thinking, as insides and outsides are continuous ... borders of inclusion and exclusion do not coincide with the edges of a demarcated territory, and it is the mutable quality of relations that determines distance and proximity, rather than a singular and absolute measure. In a topological society, the nation is not necessarily bigger or stronger than, say, an electricity meter, and the domestic is not necessarily situated at a lower level than a map of the world. The education topological function at work in the assemblage is made up of multiple constant connections of topologies; architectural

topologies, individualizing surfaces, amassing topologies, knowledge topologies, semiotic surfaces, corporeal topologies, subjectivizing topologies – recalling that every element or point exists in multiple topologies at multiple times. The 'teacher', for example, is actualized through multiple topological affects (including compartments, materials, curricula), as it is constructed by topologies that connect and by the ways those connections work; "form relate to populations, populations imply codes, and codes fundamentally include phenomena of relative decoding that are all the more usable, composable, and addable by virtue of being relative, always beside [37-42]. Co-constitutive topologies construct this subject 'teacher'. Space is multi-dimensional and constituted through mutually implicated; so, it is not hard to see the teaching as produced through these topological effects in the same space at the same time. It is this co-constitution through multiple topologies that is crucial because they are coterminous, overlapping, connecting and continuously deforming. They are machinic, in being "simultaneously located at the intersection of the contents and expression on each stratum, and at the intersection of all of the strata with the plane of consistency [43-47]. They rotate in all directions, like beacons". Rotation, stretching, deforming, education is a dynamic topological affect at the molecular level. This requires addressing bodies, enunciations and their relations; for example, mapping is the "intermingling of bodies defining feudalism: the body of the earth and the social body; the body of the overlord, vassal, and serf; the body of the

knight and the horse and their new relation to the stirrup; the weapons and tools assuring a symbiosis of bodies” as well as those “statements, expressions, the juridical regime of heraldry, all of the incorporeal transformations, in particular, oaths and their variables: the collective assemblage of enunciation”. Within each topological assemblage, what is important is the ways that lines of deterritorialization form points of intersection between enunciative acts on the one hand, and the machinic assemblage of bodies, their attributes, actions and capacities on the other.

## REFERENCE

1. Engelking, R. (1986). General topology (Polish Sci. Publ., Warsaw). *Russian transl: Mir, Moscow.*
2. Decuypere, M., & Simons, M. (2016). Relational thinking in education: Topology, sociomaterial studies, and figures. *Pedagogy, Culture & Society, 24(3)*, 371-386.
3. Ball, S. J. (2003). The teacher's soul and the terrors of performativity. *Journal of education policy, 18(2)*, 215-228.
4. Файзуллаев, Ж. И. (2020). МЕТОДИКА ОБУЧЕНИЯ ОРТОГОНАЛЬНЫХ ПРОЕКЦИЙ ГЕОМЕТРИЧЕСКОГО ТЕЛА В КООРДИНАТНЫХ ПЛОСКОСТЯХ НА ОСНОВЕ РАЗВИТИЯ МАТЕМАТИЧЕСКОЙ КОМПЕТЕНТНОСТИ. *Вестник Ошского государственного университета, (1-4)*, 285-289.
5. Файзуллаев, Д. И. (2022). Развитие профессиональной компетентности студентов технических высших учебных заведений на основе деятельностного подхода. *Central asian journal of mathematical theory and computer sciences, 3(10)*, 102-107.
6. Файзуллаев, Ж. И. (2022). Техника олий таълим муассасалари талабаларининг математик компетенциясини ривожлантириш математик таълим сифатини оширишнинг асоси сифатида. *Pedagogs jurnali, 9(2)*, 248-256.
7. Abdujabbor, A., & Nabiyeovich, F. A. (2022). Econometric Assessment of the Perspective of Business Entities. *Eurasian Journal of Physics, Chemistry and Mathematics, 8*, 25-29.
8. Абдураззаков, А., Фозилов, А. Н., & Ташпулатов, А. (2021). Некоторые вопросы оптимизации рынка труда. *The Scientific Heritage, (76-2)*, 29-32.
9. Расулов, Р., Сатторов, А., & Махкамова, Д. (2022). Вычисление Квадрат Нормы Функционала Погрешности Улучшенных Квадратурных Формул В Пространстве. *Central asian journal of mathematical theory and computer sciences, 3(4)*, 114-122.
10. Rashidjon, R., & Sattorov, A. (2021). Optimal Quadrature Formulas with Derivatives in the Space. *Middle European Scientific Bulletin, 18*, 233-241.
11. Abdujabbor, A., Nasiba, M., & Nilufar, M. (2022). The Numerical Solution of Gas

- Filtration in Hydrodynamic Interconnected Two-Layer Reservoirs. *Eurasian Journal of Physics, Chemistry and Mathematics*, 6, 18-21.
12. Абдуразаков, А., Махмудова, Н. А., & Мирзамахмудова, Н. Т. (2022). Об одном численном решении краевых задач для вырождающихся параболических уравнений имеющие приложения в теории фильтрации. *Universum: технические науки*, (5-1 (98)), 41-45.
13. Abdujabbor, A., Nasiba, M., & Nilufar, M. (2022). Semi-discretization method for solving boundary value problems for parabolic systems. *Texas Journal of Multidisciplinary Studies*, 13, 77-80.
14. Shaev, A. K., & Makhmudova, N. A. (2021). Convergence of the method of straight lines for solving parabolic equations with applications of hydrodynamically unconnected formations. *Ministry of higher and secondary special education of the republic of uzbekistan national university of uzbekistan uzbekistan academy of sciences vi romanovskiy institute of mathematics*, 280.
15. Абдуразаков, А., Махмудова, Н. А., & Мирзамахмудова, Н. Т. (2021). Численное решение краевых задач для вырождающихся уравнений параболического типа, имеющих приложения в фильтрации газа в гидродинамических невзаимосвязанных пластах. *Universum: технические науки*, (10-1 (91)), 14-17.
16. Далиев, Б. С. (2021). Оптимальный алгоритм решения линейных обобщенных интегральных уравнений Абеля. *Проблемы вычислительной и прикладной математики*, 5(35), 120-129.
17. Акбаров, Д. Е., Абдуразаков, А., & Далиев, Б. С. (2021). О Функционально Аналитической Формулировке И Существования Решений Системы Эволюционных Операторных Уравнений С Краевыми И Начальными Условиями. *Central asian journal of mathematical theory and computer sciences*, 2(11), 14-24.
18. Kosimova, M. Y., Yusupova, N. X., & Kosimova, S. T. (2021). Бернулли тенгламасига келтирилиб ечиладиган иккинчи тартибли оддий дифференциал тенглама учун учинчи чегаравий масала. *Oriental renaissance: Innovative, educational, natural and social sciences*, 1(10), 406-415.
19. Yusupova, N. K., & Abduolimova, M. Q. (2022). Use fun games to teach geometry. *Central asian journal of mathematical theory and computer sciences*, 3(7), 58-60.
20. Yusupova, N. X., & Nomoanjonova, D. B. (2022). Innovative technologies and their significance. *Central asian journal of mathematical theory and computer sciences*, 3(7), 11-16.
21. Shakhnoza, S. (2022). Application of Topology in Variety Fields. *Eurasian Journal of Physics, Chemistry and Mathematics*, 11, 63-71.

22. Bozarov, B. I. (2019). An optimal quadrature formula with  $\sin x$  weight function in the Sobolev space. *Uzbekistan academy of sciences vi romanovskiy institute of mathematics*, 47.
23. Akbarov, D. E., Kushmatov, O. E., Umarov, S. A., Bozarov, B. I., & Abduolimova, M. Q. (2021). Research on General Mathematical Characteristics of Boolean Functions' Models and their Logical Operations and Table Replacement in Cryptographic Transformations. *Central asian journal of mathematical theory and computer sciences*, 2(11), 36-43.
24. Shavkatjon o'g'li, T. B. (2022). Proving The Inequalities Using a Definite Integral and Series. *Texas Journal of Engineering and Technology*, 13, 64-68.
25. Shavkatjon o'g'li, T. B. (2022). Some integral equations for a multivariable function. *Web of Scientist: International Scientific Research Journal*, 3(4), 160-163.
26. Alimjonova, G. (2021). Modern competencies in the techno-culture of future technical specialists. *Current research journal of pedagogics*, 2(06), 78-84.
27. Kupaysinova, Z. S. (2022). Attempts of Central Asian Scholars to Prove Euclid's Fifth Postulate. *Eurasian Journal of Physics, Chemistry and Mathematics*, 12, 71-75.
28. Yakubjanovna, Q. M. (2022). Some Methodological Features of Teaching the Subject «Higher Mathematics» in Higher Educational Institutions. *Eurasian Journal of Physics, Chemistry and Mathematics*, 4, 62-65.
29. Abdurahmonovna, N. G. (2022). Factors for the Development of Creativity and Critical Thinking in Future Economists Based on Analytical Thinking. *Journal of Ethics and Diversity in International Communication*, 2(5), 70-74.
30. Abdurahmonovna, N. G. (2022). Will Be on the Basis of Modern Economic Education Principles of Pedagogical Development of Analytical Thinking in Economists. *European Multidisciplinary Journal of Modern Science*, 6, 627-632.
31. Nazarova, G. A. (2022). Will be on the basis of modern economic education Principles of pedagogical development of analytical thinking in economists. *Journal of Positive School Psychology*, 9579-9585.
32. Назарова, Г. А. (2022). Аналитик тафаккурни ривожлантиришининг педагогик зарурати. *Integration of science, education and practice. Scientific-methodical journal*, 3(3), 309-314.
33. Kosimova, M. Y. (2022). Talabalarni ta'lim sifatini oshirishda fanlararo uzviyligidan foydalanish. *Nazariy va amaliy tadqiqotlar xalqaro jurnali*, 2(2), 57-64.
34. Qosimova, M. Y., & Yusupova, N. X. (2020). On a property of fractional integro-differentiation operators in the kernel of which the meyer function. *Scientific-technical journal*, 24(4), 48-50.
35. Mirzakarimov, E. M., & Fayzullaev, J. S. (2020). Improving the quality and efficiency of teaching by developing students\*

- mathematical competence using the animation method of adding vectors to the plane using the maple system. *scientific bulletin of namangan state university*, 2(9), 336-342.
36. Mirzakarimov, E. M., & Faizullaev, J. I. (2019). Method of teaching the integration of information and educational technologies in a heterogeneous parabolic equation. *scientific bulletin of namangan state university*, 1(5), 13-17.
37. Mirzaboevich, M. E. (2021). Using Maple Programs in Higher Mathematics. Triangle Problem Constructed on Vectors in Space. *Central asian journal of mathematical theory and computer sciences*, 2(11), 44-50.
38. Мирзакаримов, Э. М., & Файзуллаев, Д. И. (2021). Выполнять Линейные Операции Над Векторами В Пространстве В Системе Maple. *Central asian journal of mathematical theory and computer sciences*, 2(12), 10-16.
39. Мирзакаримов, Э. М. (2022). Использовать Систему Maple Для Определения Свободных Колебаний Прямоугольной Мембраны При Начальных Условиях. *Central Asian Journal Of Mathematical Theory And Computer Sciences*, 3(1), 9-18.
40. Мамаюсупов, Ж. Ш. (2022). Интегральное преобразование Меллина для оператора интегродифференцирования дробного порядка. *Periodica Journal of Modern Philosophy, Social Sciences and Humanities*, 11, 186-188.
41. Mamayusupov, J. S. O. (2022). "Iqtisod" yonalishi mutaxassislarini tayyorlashda matematika fanini o'qitish uslubiyoti. *Academic research in educational sciences*, 3(3), 720-728.
42. Qo'Ziyev, S. S., & Mamayusupov, J. S. (2021). Umumiy o'rta ta'lim maktablari uchun elektron darslik yaratishning pedagogik shartlari. *Oriental renaissance: Innovative, educational, natural and social sciences*, 1(10), 447-453.
43. Kosimov, K., & Mamayusupov, J. (2019). Transitions melle integral of fractional integrodifferential operators. *Scientific Bulletin of Namangan State University*, 1(1), 12-15.
44. Qosimova, S. T. (2021). Two-point second boundary value problem for a quadratic simple second-order differential equation solved by the bernoulli equation. *Innovative Technologica: Methodical Research Journal*, 2(11), 14-19.
45. Jalilov, I. I. U. (2022). К актуальным проблемам становления педагогического мастерства преподавателя. *Nazariy va amaliy tadqiqotlar xalqaro jurnali*, 2(9), 81-89.
46. Jalilov, I. (2019). To the problems of innovation into the educational process. *Scientific Bulletin of Namangan State University*, 1(3), 344-347.
47. Акбаров, Д. Е., Кушматов, О. Э., Умаров, Ш. А., & Расулов, Р. Г. (2021). Исследования Вопросы Необходимых Условий Крипто Стойкости Алгоритмов Блочного



Шифрования С Симметричным  
Ключом. *Central asian journal of  
mathematical theory and computer  
sciences*, 2(11), 71-79.

